



PM/PM BOX pump system

Description

Capacity: 3500 liters/hour

Replaces: n/a

Power supply: 0.75 kW 400 V 3/N/PE 50/60 Hz
0.75 kW 230 V 3/N/PE 50/60 Hz
0.75 kW 230 V 1/N/PE 50/60 Hz
0.75 kW 110 V 1/N/PE 50/60 Hz



Dimensions: 577x215x326 mm

Minimal workspace: 500x1000 mm



Compressed air: n/a

Weight: 20 kg



Water: n/a


Operated by: 1 person



Drain: n/a


Compatibility: FS

The PM and PM BOX pumps are designed to transfer egg liquid from one tank to another. Its small, compact size ease of operation and robust construction have been specifically designed to meet the harsh, industrial conditions in large food processing facilities. The machine is made out of stainless steel EN 1.4301 (AISI 304).




PM - food liquid pump





PM BOX- food liquid pump



efficient pump
for food liquids
3000 l/h

drainage of
liquid egg





PM/PM BOX pump system

Typical workplaces:	egg breaking facilities, bakeries, confectioneries, pasta making, companies
Capacity:	3300 litres/hour
Power supply:	0.75 kW 400V 3/N/PE 50/60 Hz 0.75 kW 230V 3/N/PE 50/60 Hz 0.75 kW 230V 1/N/PE 50/60 Hz 0.75 kW 110V 1/N/PE 50/60 Hz
Water connection:	N/A
Compressed air connection:	N/A
Minimal workspace:	500 x 1000 mm
Dimensions:	577x 215 x 326 mm
Operated by:	1 person
Minimal wall clearance:	the rear side - 600 mm
Additional information:	N/A
A	control panel
B1/B2/B3	connection: electric/water/air
D	eggs/water outlet
E	liquid egg outlet